

|   | Type | L # | Hits  | Search Text  | DBs  | Time Stamp          |
|---|------|-----|-------|--|--|---------------------|
| 1 | BRS  | L5  | 2381  | (processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) with (pass\$3<br>or forward\$3) with<br>(access\$3 or request\$3)<br>with (BIOS or memory or<br>stor\$3) | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>09:48 |
| 2 | BRS  | L6  | 13556 | (processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) with<br>(receiv\$3) with (access\$3<br>or request\$3) with (BIOS<br>or memory or stor\$3)                | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:01 |
| 3 | BRS  | L7  | 914   | 15 and 16  | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>09:48 |
| 4 | BRS  | L8  | 610   | 17 and @ad<"20010511"  | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:42 |
| 5 | BRS  | L9  | 1     | (processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) with (pass\$3<br>or forward\$3) with<br>(access\$3 or request\$3)<br>with (BIOS)                         | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:01 |

|   | Comments     | Error Definition | Errors |
|---|--------------|------------------|--------|
| 1 |              |                  |        |
| 2 |              |                  |        |
| 3 |              |                  |        |
| 4 | REv'd images |                  |        |
| 5 |              |                  |        |

|    | Type | L # | Hits | Search Text   | DBs  | Time Stamp          |
|----|------|-----|------|---|--|---------------------|
| 6  | BRS  | L10 | 33   | (processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) with<br>(receiv\$3) with (access\$3<br>or .request\$3) with (BIOS)                | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:02 |
| 7  | BRS  | L11 | 1    | "20030028781".pn. and<br>request  | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>09:55 |
| 8  | BRS  | L12 | 1    | "20030028781".pn. and<br>(request same BIOS)  | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>09:56 |
| 9  | BRS  | L14 | 39   | (processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) with<br>(receiv\$3 or accept\$3)<br>with (access\$3 or<br>request\$3) with (BIOS) | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:02 |
| 10 | BRS  | L15 | 6    | 113 and 114   | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:02 |

|    | Comments          | Error Definition | Errors |
|----|-------------------|------------------|--------|
| 6  | Rev'd kwic/images |                  |        |
| 7  |                   |                  |        |
| 8  |                   |                  |        |
| 9  | REv'd kwic/images |                  |        |
| 10 |                   |                  |        |

|    | Type | L # | Hits | Search Text   | DBs   | Time Stamp       |
|----|------|-----|------|---|---|------------------|
| 11 | BRS  | L13 | 19   | (processor\$1 or (security adj processor\$1) or "crypto-processor" or (crypto\$9 adj processor\$1)) with (pass\$3 or forward\$3 or transfer\$3) with (access\$3 or request\$3) with (BIOS)    | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/05/13 10:24 |
| 12 | BRS  | L16 | 5    | ((security adj processor\$1) or "crypto-processor" or (crypto\$9 adj processor\$1)) with (pass\$3 or forward\$3 or transfer\$3) with (access\$3 or request\$3) with (BIOS)                    | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/05/13 10:29 |
| 13 | BRS  | L17 | 10   | ((processor\$1 or (security adj processor\$1) or "crypto-processor" or (crypto\$9 adj processor\$1)) near5 (pass\$3 or forward\$3 or transfer\$3)) with (access\$3 or request\$3) with (BIOS) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/05/13 10:34 |
| 14 | BRS  | L18 | 6    | ((processor\$1 or (security adj processor\$1) or "crypto-processor" or (crypto\$9 adj processor\$1)) near5 (pass\$3 or forward\$3 or transfer\$3)) with (request\$3) with (BIOS)              | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/05/13 10:37 |
| 15 | BRS  | L19 | 11   | ((processor\$1 or (security adj processor\$1) or "crypto-processor" or (crypto\$9 adj processor\$1)) with (pass\$3 or forward\$3 or transfer\$3)) with (request\$3) with (BIOS)               | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/05/13 10:40 |

|    | Comments          | Error Definition | Errors |
|----|-------------------|------------------|--------|
| 11 | REv'd kwic/images |                  |        |
| 12 | REv'd kwic/images |                  |        |
| 13 | REv' dkiwc/image  |                  |        |
| 14 | REv'd kwic/images |                  |        |
| 15 | REv'd kwic/images |                  |        |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 16 | BRS  | L20 | 4063 | ((processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) with (pass\$3<br>or forward\$3 or<br>transfer\$3)) with<br>(request\$3) with (memory<br>or stor\$3)     | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:41 |
| 17 | BRS  | L21 | 208  | ((processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) with (pass\$3<br>or forward\$3 or<br>transfer\$3)) with<br>(request\$3) with (stor\$3<br>adj device\$1) | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:42 |
| 18 | BRS  | L22 | 137  | 121 and @ad<"20010511"   | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:42 |
| 19 | BRS  | L24 | 68   | 123 and @ad<"20010511"   | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:44 |
| 20 | BRS  | L25 | 288  | ((processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) near5<br>(receiv\$3 or accept\$3))<br>with (request\$3) with<br>(stor\$3 adj device\$1)                 | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:43 |

|    | Comments          | Error Definition | Errors |
|----|-------------------|------------------|--------|
| 16 |                   |                  |        |
| 17 | REv'd images      |                  |        |
| 18 | REv'd images      |                  |        |
| 19 | REv'd kwic/images |                  |        |
| 20 | REv'd images      |                  |        |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 21 | BRS  | L26 | 135  | 125 and @ad<"20010511"   | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:44 |
| 22 | BRS  | L27 | 0    | 124 and 116  | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:44 |
| 23 | BRS  | L23 | 97   | ((processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) near5<br>(pass\$3 or forward\$3 or<br>transfer\$3)) with<br>(request\$3) with (stor\$3<br>adj device\$1)              | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:47 |
| 24 | BRS  | L28 | 10   | ((processor\$1 or (security<br>adj processor\$1) or<br>"crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) near5<br>(pass\$3 or forward\$3 or<br>transfer\$3)) with<br>(request\$3 near3 memory)<br>with (stor\$3 adj device\$1) | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:48 |
| 25 | BRS  | L30 | 9    | memory adj permission adj<br>table   | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>10:54 |

|    | Comments          | Error Definition | Errors |
|----|-------------------|------------------|--------|
| 21 | REv'd kwic/images |                  |        |
| 22 |                   |                  |        |
| 23 | REv'd kwic/images |                  |        |
| 24 | REv'd kwic/imgaes |                  |        |
| 25 | REv'd kwic/images |                  |        |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 26 | BRS  | L31 | 1100 | 711/163.ccls.  | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>11:18 |
| 27 | BRS  | L33 | 20   | 131 and (((processor\$1 or<br>(security adj processor\$1)<br>or "crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) near5<br>(pass\$3 or forward\$3 or<br>transfer\$3)) with<br>(request\$3 near3 (memory<br>or read\$3 or write\$3)))             | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>11:21 |
| 28 | BRS  | L34 | 20   | 131 and (((processor\$1 or<br>(security adj processor\$1)<br>or "crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) near5<br>(pass\$3 or forward\$3 or<br>transfer\$3)) with<br>(request\$3 near3 (memory<br>or read\$3 or write\$3)))             | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>11:23 |
| 29 | BRS  | L35 | 30   | 131 and (((processor\$1 or<br>(security adj processor\$1)<br>or "crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) near5<br>(pass\$3 or forward\$3 or<br>transfer\$3)) with<br>request\$3 with (memory or<br>(stor\$3 adj device\$1) or<br>BIOS)) | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>11:30 |
| 30 | BRS  | L36 | 0    | 131 and (((processor\$1 or<br>(security adj processor\$1)<br>or "crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) near5<br>(pass\$3 or forward\$3 or<br>transfer\$3)) with<br>request\$3 with BIOS)  | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>11:31 |

|    | Comments          | Error Definition | Errors |
|----|-------------------|------------------|--------|
| 26 |                   |                  |        |
| 27 | Rev'd kwic/images |                  |        |
| 28 | REv'd kwic/images |                  |        |
| 29 | REv'd kwic/images |                  |        |
| 30 |                   |                  |        |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp       |
|----|------|-----|------|--|--|------------------|
| 31 | BRS  | L37 | 52   | 131 and (((processor\$1 or (security adj processor\$1) or "crypto-processor" or (crypto\$9 adj processor\$1)) near5 (pass\$3 or forward\$3 or transfer\$3)) with request\$3)   | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | 2005/05/13 11:32 |
| 32 | BRS  | L38 | 35   | 137 and @ad<"20010511"   | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | 2005/05/13 11:31 |
| 33 | BRS  | L39 | 0    | 131 and (((processor\$1 or (security adj processor\$1) or "crypto-processor" or (crypto\$9 adj processor\$1)) near5 (pass\$3 or forward\$3 or transfer\$3)) with (request\$3 near3 memory) with (stor\$3 adj device\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | 2005/05/13 11:33 |
| 34 | BRS  | L40 | 14   | 131 and (((processor\$1 or (security adj processor\$1) or "crypto-processor" or (crypto\$9 adj processor\$1)) near5 (pass\$3 or forward\$3 or transfer\$3)) with (request\$3 near3 memory))                              | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | 2005/05/13 11:43 |
| 35 | BRS  | L41 | 0    | 711/164.ccls. and (((processor\$1 or (security adj processor\$1) or "crypto-processor" or (crypto\$9 adj processor\$1)) near5 (pass\$3 or forward\$3 or transfer\$3)) with (request\$3 near3 memory))                    | US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB | 2005/05/13 11:43 |

|    | Comments          | Error Definition | Errors |
|----|-------------------|------------------|--------|
| 31 | REv'd kwic/images |                  |        |
| 32 | REv'd kwic/images |                  |        |
| 33 |                   |                  |        |
| 34 | REv'd kwic/images |                  |        |
| 35 |                   |                  |        |

|    | Type | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|-----|------|--|--|---------------------|
| 36 | BRS  | L42 | 8    | 711/164.ccls. and<br>(((processor\$1 or<br>(security adj processor\$1)<br>or "crypto-processor" or<br>(crypto\$9 adj<br>processor\$1)) near5<br>(pass\$3 or forward\$3 or<br>transfer\$3)) with<br>request\$3) | US-<br>PGPUB;<br>USPAT;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TD<br>B | 2005/05/13<br>12:11 |

|    | Comments          | Error Definition | Errors |
|----|-------------------|------------------|--------|
| 36 | Rev'd kwic/images |                  |        |